

COVID-19 Update Dr Mark Cunningham-Hill Medical Director NEBGH



Global Pandemic



_ າ.org



CC BY

ISINESS GR

Shown is the rolling 7-day average. The number of confirmed cases is lower than the number of actual cases; the main reason for that is limited testing.



Source: European CDC – Situation Update Worldwide – Last updated 30 August, 10:34 (London time), Official data collated by Our World in Data



nebgh.org



Shown is the rolling 7-day average. The number of confirmed cases is lower than the number of actual cases; the main reason for that is limited testing.



Source: European CDC – Situation Update Worldwide – Last updated 30 August, 10:34 (London time), Official data collated by Our World in



nebgh.org

CC BY

BUSINESS GRO

Our World in Data

Shown is the rolling 7-day average. The number of confirmed cases is lower than the number of actual cases; the main reason for that is limited testing.



Source: European CDC – Situation Update Worldwide – Last updated 30 August, 10:34 (London time), Official data collated by Our World in Data



Our World in Data

Shown is the rolling 7-day average. The number of confirmed cases is lower than the number of actual cases; the main reason for that is limited testing.



Source: European CDC – Situation Update Worldwide – Last updated 30 August, 10:34 (London time), Official data collated by Our World in



nebgh.org

What's Next?



BUSINESS GROUP ON HEALTH

www.nebgh.org





EPA, CDC and FDA in the news!

- EPA gave EUA SurfaceWise2 a long acting surface antimicrobial
 - Plan for use in planes
 - Some concerns raised by chemists and safety specialists
- **CDC** Advice to not test asymptomatic contacts
 - Massive pushback from medical and scientific community
 - CDC have updated their advice and say asymptomatic contacts can be tested
- FDA approval of convalescent plasma
 - Treatment from 1915 for measles by Dr Francesco Cenci
 - Used in 1918 during the Influenza pandemic
 - Dr S Hahn, FDA Commissioner "35 of 100 people with covid-19 "would have been saved because of the administration of plasma" Since retracted







www.nebgh.org

Reinfections

- Several case reports of proven re-infection with SARS-CoV-2
 - Hong Kong, Belgium, Netherlands and USA
 - Proven by sequencing the virus and showing that reinfection a different strain than the first
- HK case mild symptoms first time and then asymptomatic the second time
- Reno case was different
 - Diagnosed COVID+ in April mild symptoms
 - 48 days later increasing severe illness that resulted in hospitalization











www.nebgh.org

COVID-19 Vaccines



Phase 2 trials

- Oxford/AZ 2 doses 28 days apart in phase 1 and 2 trials
- Novavax used 2 doses
- Phase 3 studies 30,000+
 - Moderna 2 doses 28 days apart
 - Pfizer 2 doses 21 days apart
 - J&J testing single and 2 dose regimes



Who Gets Vaccinated First?

- 1. Healthcare workers
- 2. High-Risk Individuals
 - Old people living in nursing homes
 - Prisoners
 - Poor populations and ethnic groups
- 3. Next Tier
 - Teachers, police, daycare workers....
 - Geography based state or ZIP code





Questions

0